

## **TECHNICAL DATA SHEET**

# CyFlow™ Beta2-MG Alexa Fluor™ 647 Anti-Hu; Clone B2M-01



AB793544

# For Research Use Only. Not for use in diagnostic or therapeutic procedures.

#### **Specifications**

Antigen	β2-microglobulin
Alternative Names	_
Clone	B2M-01
Clonality	monoclonal
Format	Alexa Fluor™ 647
Host / Isotype	Mouse / IgG2a
Species Reactivity	Human
Negative Species Reactivity	Mouse   Cow   Dog   Rabbit   Chicken
Quantity [Concentration]	0.1 mg [ 1 mg/ml ]
Immunogen	Purified human β2-microglobulin

## **Specificity**

The mouse monoclonal antibody B2M-01 recognizes  $\beta$ 2-microglobulin associated with cell-surface MHC Class I molecules and other membrane antigens as well as with soluble  $\beta$ 2-microglobulin.  $\beta$ 2-

#### **Contact Information:**



microglobulin is a 12 kDa Ig like glycoprotein expressed on lymphocytes, thymocytes, monocytes, granulocytes, platelets, endothelial cells and epithelial cells. It is absent on erythrocytes.

#### **Application**

The reagent is designed for Flow Cytometry analysis. Suggested working usage is 2 µg/ml. Indicated dilution is recommended starting point for use of this product, but working concentrations should be validated by the investigator.

Other usages may be determined from the scientific literature.

#### **Storage Buffer**

The reagent is provided in phosphate buffered saline (PBS) solution, pH ≈7.4, containing 0.1% (w/v) sodium azide.

#### Storage and Stability

Storage	Avoid prolonged exposure to light. Store in the dark at 2-8°C. Do not freeze.	
Stability	Do not use after expiration date stamped on vial label.	

### **Background Information**

 $\beta$ 2-microglobulin ( $\beta$ 2M) non-covalently associates with the 44 kDa  $\alpha$  chain to forms the HLA Class I antigen complex. Human  $\beta$ 2-microglobulin associated with HLA Class I antigens is expressed on many types of cells including lymphocytes, thymocytes, monocytes, granulocytes, platelets, endothelial cells, and epithelial cells. It is absent on erythrocytes.

#### References

- Hilgert I, Horejsi V, Kristofova H: The use of murine monoclonal antibody B2M-01 for detection and purification of human beta 2-microglobulin. Folia Biol (Praha). 1984; 30(6):369-76. < PMID: 6394369 >
- Lafon M, Prehaud C, Megret F, Lafage M, Mouillot G, Roa M, Moreau P, Rouas-Freiss N, Carosella ED: Modulation of HLA-G Expression in Human Neural Cells after Neurotropic Viral Infections. J Virol. 2005 Dec; 79(24):15226-15237. < PMID: 16306594 >
- Khurana M, Traum AZ, Aivado M, Wells MP, Guerrero M, Grall F, Libermann TA, Schachter AD: Urine proteomic profiling of pediatric nephrotic syndrome. Pediatr Nephrol. 2006 Sep; 21(9):1257-65.
   < PMID: 16810512 >

ΕN



Poláková K, Železníková T, Russ G: HLA-G5 in the blood of leukemia patients and healthy individuals.
 Leuk Res. 2013 Feb; 37(2):139-45. < PMID: 23146557 >

The Safety Data Sheet for this product is available at www.sysmex-partec.com/services.

This product is provided under an intellectual property license from Life Technologies Corporation. The transfer of this product is conditioned on the buyer using the purchased product solely in research conducted by the buyer, excluding contract research or any fee for service research, and the buyer must not sell or otherwise transfer this product or its components for (a) diagnostic, therapeutic or prophylactic purposes; (b) testing, analysis or screening services, or information in return for compensation on a pertest basis; (c) manufacturing or quality assurance or quality control, or (d) resale, whether or not resold for use in research. For information on purchasing a license to this product for purposes other than as described above, contact Life Technologies Corporation, 5791 Van Allen Way, Carlsbad, CA 92008 USA or outlicensing@lifetech.com.