

## **TECHNICAL DATA SHEET**

# CyFlow™ HLA-DR+DP Pacific Blue™ Anti-Hu; Clone MEM-136



BC344412

## For Research Use Only. Not for use in diagnostic or therapeutic procedures.

## **Specifications**

Antigon	HLA-DR+DP
Antigen	nla-uk+ur
Alternative Names	_
Clone	MEM-136
Clonality	monoclonal
Format	Pacific Blue™
Host / Isotype	Mouse / IgG1
Species Reactivity	Human
Negative Species Reactivity	_
Quantity	100 tests
Immunogen	PHA-activated peripheral blood lymphocytes

## **Specificity**

The mouse monoclonal antibody MEM-136 recognizes common epitope on  $\beta$ -chain of human HLA-DR and HLA-DP. It reacts with  $\alpha/\beta$  dimer as well as with dissociated  $\beta$ -subunit. DR and DP are the isotypes

#### **Contact Information:**



of human MHC Class II molecules expressed on antigen-presenting cells (APC; dendritic cells, B lymphocytes, monocytes, macrophages).

## **Application**

The reagent is designed for Flow Cytometry analysis of human blood cells. Recommended usage is 4  $\mu$ l reagent / 100  $\mu$ l of whole blood or 10<sup>6</sup> cells in a suspension. The content of a vial (0.4 ml) is sufficient for 100 tests.

Other usages may be determined from the scientific literature.

## **Storage Buffer**

The reagent is provided in stabilizing phosphate buffered saline (PBS) solution, pH ≈7.4, containing 0.1% (w/v) sodium azide.

## **Storage and Stability**

Storage	Avoid prolonged exposure to light. Store in the dark at 2-8°C. Do not freeze.
Stability	Do not use after expiration date stamped on vial label.

#### References

Koch C, Staffler G, Huttinger R, Hilgert I, Prager E, Cerny J, Steinlein P, Majdic O, Horejsi V, Stockinger H: T cell activation-associated epitopes of CD147 in regulation of the T cell response, and their definition by antibody affinity and antigen density. Int Immunol. 1999 May; 11(5):777-86.
 < PMID: 10330283 >

The Safety Data Sheet for this product is available at www.sysmex-partec.com/services.



This product is provided under an intellectual property license from Life Technologies Corporation. The transfer of this product is conditioned on the buyer using the purchased product solely in research conducted by the buyer, excluding contract research or any fee for service research, and the buyer must not sell or otherwise transfer this product or its components for (a) diagnostic, therapeutic or prophylactic purposes; (b) testing, analysis or screening services, or information in return for compensation on a pertest basis; (c) manufacturing or quality assurance or quality control, or (d) resale, whether or not resold for use in research. For information on purchasing a license to this product for purposes other than as described above, contact Life Technologies Corporation, 5791 Van Allen Way, Carlsbad, CA 92008 USA or outlicensing@lifetech.com.